



FEATURES

- Universal range of VESA mounting options
- Telescopic mounting - with flexible height adjustment
- Distance from the ceiling to the screen 1375 to 2175 mm
- Internal cable management in pole
- Adjustable tilt angle from 0° to 22°

PRODUCT SPECIFICATION

Dimensions (HxWxD)	Weight	Max capacity	Colour	Packaging dimensions
2175x800x200 mm	12 kg	60 kg	black silver	1310x210x210 mm

TECHNICAL



min.
100x100
max.
600x400
mm



37"-65"



60 kg



90°/90°



min.
50x95 mm
max.
750x460
mm




min.
1375 mm
max.
2175 mm



PRODUCT SPECIFICATION

Dimensions (HxWxD)	Weight	Max capacity	Colour	Packaging dimensions
2175x800x200 mm	12 kg	60 kg	black silver	1310x210x210 mm

TECHNICAL DRAWINGS







FEATURES

- Universal Vesa compatibility
- Heavy duty 3 mm professional gauge steel
- Security bolts to prevent accidental screen movement
- Max. capacity 110 kg


TECHNICAL




min.
200x200 mm
max.
1200x400 mm




80"-95"



42 mm



min.
100x125 mm
max.
1200x510 mm



110 kg



FIXED WALL MOUNTS

PRODUCT SPECIFICATION

Dimensions	Weight	Max capacity	Colour	Packaging dimensions	EAN
1260x540x42 mm	11,3 kg	110 kg	black silver	1280x320x60 mm	5908252960897 5908252960903

TECHNICAL DRAWINGS

